



TopLine XL K2 Sliding System



WingLine L



Grant 400 Neo



TopLine L-Loft Version

Sliding & Folding Door Systems

Smooth. Silent. Magical.

Hettich Sliding & Folding Systems are designed to help you move wardrobe doors with effortless ease. Various sliding and folding door systems with different runner types provide solutions for different customer segments. It comes with a Silent System that provides luxuriously soft opening and closing.

IT'S ALL IN HETTICH.



Hettich

Sliding & Folding Systems

► TopLine XL K2



Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
Top Running Wardrobe Door Sliding Fittings								
TopLine XL K2								
	TopLine XL K2 – 2 Door for Wooden Doors 18–30 mm thickness; Weight 60 Kg per Door with Soft Closing & Soft Opening; Max. Door Dimensions: Height–3000 mm & Width–2000 mm							
	9275788	9275788	Fitting Set for 2 door (18–30 mm Thickness) Door weight upto 60 Kg	1	Set	1	21,090	83024200
	9276737	9276737	Silent System for 2 door (60–100 kg)	1	Set	1	9,710	83024200
	9309712	9309712	Runner & Guide Profile 3600 mm with complete clip set	1	Set	1	20,900	83024200
	BOM Code	9320977	Total Set				51,691	
	TopLine XL K2 – 2 Door for Wooden Doors 22–30 mm thickness; Weight 80 Kg per Door with Soft Closing & Soft Opening; Max. Door Dimensions: Height–3000 mm & Width–2000 mm							
	9275790	9275790	Fitting Set for 2 door (22–30 mm Thickness) Door weight upto 80 Kg	1	Set	1	21,650	83024200
	9276737	9276737	Silent System for 2 door (60–100 kg)	1	Set	1	9,710	83024200
	9309712	9309712	Runner & Guide Profile 3600 mm with complete clip set	1	Set	1	20,900	83024200
	BOM Code	9320978	Total Set				52,252	
	TopLine XL K2 – 2 Door for Wooden Doors 32–40 mm thickness; Weight 100 Kg per Door with Soft Closing & Soft Opening; Max. Door Dimensions: Height–3000 mm & Width–2000 mm							
	9275708	9275708	Fitting Set for 2 door (32–40 mm Thickness) Door weight upto 100 Kg	1	Set	1	22,960	83024200
	9276737	9276737	Silent System for 2 door (60–100 kg)	1	Set	1	9,710	83024200
	9309712	9309712	Runner & Guide Profile 3600 mm with complete clip set	1	Set	1	20,900	83024200
	BOM Code	9320979	Total Set				53,559	
	TopLine XL K2 – 3 Door for Wooden Doors 18–30 mm thickness; Weight 60 Kg per Door with Soft Closing & Soft Opening; Max. Door Dimensions: Height–3000 mm & Width–2000 mm							
	9275781	9275781	Fitting Set for 3 door (18–30 mm Thickness) Door weight upto 60 Kg	1	Set	1	29,120	83024200
	9276646	9276646	Silent System for 3 door (60–100 kg)	1	Set	1	19,510	83024200
	9309712	9309712	Runner & Guide Profile 3600 mm with complete clip set	1	Set	1	20,900	83024200
	BOM Code	9320980	Total Set				69,530	
	TopLine XL K2 – 3 Door for Wooden Doors 22–30 mm thickness; Weight 80 Kg per Door with Soft Closing & Soft Opening; Max. Door Dimensions: Height–3000 mm & Width–2000 mm							
	9275709	9275709	Fitting Set for 3 door (22–30 mm Thickness) Door weight upto 80 Kg	1	Set	1	29,680	83024200
	9276646	9276646	Silent System for 3 door (60–100 kg)	1	Set	1	19,510	83024200
	9309712	9309712	Runner & Guide Profile 3600 mm with complete clip set	1	Set	1	20,900	83024200
	BOM Code	9320991	Total Set				70,087	

Sliding & Folding Systems

► TopLine XL K2 & Accessories



Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
	TopLine XL K2 – 3 Door for Wooden Doors 32-40 mm thickness; Weight 100 Kg per Door with Soft Closing & Soft Opening; Max. Door Dimensions: Height-3000 mm & Width-2000 mm							
	9275707	9275707	Fitting Set for 3 door (32-40 mm Thickness) Door weight upto 100 Kg	1	Set	1	31,170	83024200
	9276646	9276646	Silent System for 3 door (60-100 kg)	1	Set	1	19,510	83024200
	9309712	9309712	Runner & Guide Profile 3600 mm with complete clip set	1	Set	1	20,900	83024200
	BOM Code	9320992	Total Set				71,580	
	TopLine XL K2 – 4 Door for Wooden Doors 18-30 mm thickness; Weight 60 Kg per Door with Soft Closing & Soft Opening; Max. Door Dimensions: Height-3000 mm & Width-2000 mm							
	9278794	9278794	Fitting Set for 4 door (18-30 mm Thickness) Door weight upto 60 Kg	1	Set	1	42,180	83024200
	9278799	9278799	Silent System for 4 door (30-80 kg) (includes synchronization mechanism)	1	Set	1	27,670	83024200
	9309712	9309712	Runner & Guide Profile 3600 mm with complete clip set	1	Set	1	20,900	83024200
	BOM Code	9320993	Total Set				90,750	
	TopLine XL K2 – 4 Door for Wooden Doors 22-30 mm thickness; Weight 80 Kg per Door with Soft Closing & Soft Opening; Max. Door Dimensions: Height-3000 mm & Width-2000 mm							
	9278795	9278795	Fitting Set for 4 door (22-30 mm Thickness) Door weight upto 80 Kg	1	Set	1	43,300	83024200
	9278799	9278799	Silent System for 4 door (30-80 kg) (includes synchronization mechanism)	1	Set	1	27,670	83024200
	9309712	9309712	Runner & Guide Profile 3600 mm with complete clip set	1	Set	1	20,900	83024200
	BOM Code	9320994	Total Set				91,871	
	TopLine XL K2 Profiles							
	9346060	9346060	Runner & Guide Profile 3000 mm with complete clip set	1	Set	1	17,420	76042990
	9361098*	9361098*	Runner & Guide Profile 3600 mm with complete clip set - Black	1	Set	1	26,120	76042990
	9361099*	9361099*	Runner & Guide Profile 3000 mm with complete clip set - Black	1	Set	1	21,780	76042990
	Accessories							
	9278801	9278801	Cover Profile 2000 mm Grey Finish	1	Pc	1	2,520	39169090



*Available till stock last

Sliding & Folding Systems

► TopLine L Loft Version



Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
---------	-------------	-----	------------------	------	------	----	-----	---------

TopLine L Loft Version (With Wooden Door Thickness 16 – 25 mm / With 55 mm Aluminium Frame Door)

	TopLine L Loft Version (2 Door Front Left 20 mm thickness) with STB 11 (Screw from bottom) - Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-2000 mm							
	9344753	9344753	2 Door front left EB 32 for max. 20 mm thick door	1	Set	1	8,520	83024200
	9315109	9315109	Connecting pin for Runner profile	2	Pc	200	316	73170080
	9242229	9242229	Soft closing for 2 doors with 50 Kg	1	Set	1	6,300	39263000
	9344941	9344941	Runner profile (Left 1500 mm + Right 1500 mm)	1	Set	1	4,200	76042990
	9288836	9288836	STB 11 Guide Profile 3000 mm	1	Pc	4	2,390	76042990
	9340325	9340325	2 Door STB 11 Guide Kit	1	Set	1	2,430	83024200
			Total Set				24,156	

	TopLine L Loft Version (2 Door Front Left 25 mm thickness) with STB 11 (Screw from bottom) - Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-2000 mm							
	9344754	9344754	2 Door front left EB 36 for max. 25 mm thick door	1	Set	1	8,520	83024200
	9315109	9315109	Connecting pin for Runner profile	2	Pc	200	316	73170080
	9242229	9242229	Soft closing for 2 doors with 50 Kg	1	Set	1	6,300	39263000
	9344941	9344941	Runner profile (Left 1500 mm + Right 1500 mm)	1	Set	1	4,200	76042990
	9288836	9288836	STB 11 Guide Profile 3000 mm	1	Pc	4	2,390	76042990
	9340325	9340325	2 Door STB 11 Guide Kit	1	Set	1	2,430	83024200
			Total Set				24,156	

	TopLine L Loft Version (2 Door Front Left 20 mm thickness) with STB 12 (Screw from front) - Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-2000 mm							
	9344753	9344753	2 Door Front Left EB 32 for max. 20 mm thick door	1	Set	1	8,520	83024200
	9315109	9315109	Connecting pin for Runner profile	2	Pc	200	316	73170080
	9242229	9242229	Soft closing for 2 doors with 50 Kg	1	Set	1	6,300	39263000
	9344941	9344941	Runner profile (Left 1500 mm + Right 1500 mm)	1	Set	1	4,200	76042990
	9288835	9288835	STB 12 Guide Profile 3000 mm	1	Pc	4	2,390	76042990
	9325495	9325495	2 Door STB 12 Guide Kit	1	Set	1	2,430	83024200
			Total Set				24,156	

	TopLine L Loft Version (2 Door Front Left 25 mm thickness) with STB 12 (Screw from front) - Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-2000 mm							
	9344754	9344754	2 Door Front Left EB 36 for max. 25 mm thick door	1	Set	1	8,520	83024200
	9315109	9315109	Connecting pin for Runner profile	2	Pc	200	316	73170080
	9242229	9242229	Soft closing for 2 doors with 50 Kg	1	Set	1	6,300	39263000
	9344941	9344941	Runner profile (Left 1500 mm + Right 1500 mm)	1	Set	1	4,200	76042990
	9288835	9288835	STB 12 Guide Profile 3000 mm	1	Pc	4	2,390	76042990
	9325495	9325495	2 Door STB 12 Guide Kit	1	Set	1	2,430	83024200
			Total Set				24,156	

	TopLine L Loft Version (2 Door Front Right 20 mm thickness) with STB 11 (Screw from bottom) - Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-2000 mm							
	9333863	9333863	2 Door front right EB 32 for max. 20 mm thick door	1	Set	1	8,520	83024200
	9315109	9315109	Connecting pin for Runner profile	2	Pc	200	316	73170080
	9242229	9242229	Soft closing for 2 doors with 50 Kg	1	Set	1	6,300	39263000
	9344941	9344941	Runner profile (Left 1500 mm + Right 1500 mm)	1	Set	1	4,200	76042990
	9288836	9288836	STB 11 Guide Profile 3000 mm	1	Pc	4	2,390	76042990
	9340325	9340325	2 Door STB 11 Guide Kit	1	Set	1	2,430	83024200
			Total Set				24,156	

Sliding & Folding Systems

► TopLine L Loft Version



Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
TopLine L Loft Version (With Wooden Door Thickness 16 – 25 mm / With 55 mm Aluminium Frame Door)								
	TopLine L Loft Version (2 Door Front Right 25 mm thickness) with STB 11 (Screw from bottom) – Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-2000 mm							
	9333866	9333866	2 Door front right EB 36 for max. 25 mm thick door	1	Set	1	8,520	83024200
	9315109	9315109	Connecting pin for Runner profile	2	Pc	200	316	73170080
	9242229	9242229	Soft closing for 2 doors with 50 Kg	1	Set	1	6,300	39263000
	9344941	9344941	Runner profile (Left 1500 mm + Right 1500 mm)	1	Set	1	4,200	76042990
	9288836	9288836	STB 11 Guide Profile 3000 mm	1	Pc	4	2,390	76042990
	9340325	9340325	2 Door STB 11 Guide Kit	1	Set	1	2,430	83024200
			Total Set				24,156	
	TopLine L Loft Version (2 Door Front Right 20 mm thickness) with STB 12 (Screw from front) – Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-2000 mm							
	9333863	9333863	2 Door front right EB 32 for max. 20 mm thick door	1	Set	1	8,520	83024200
	9315109	9315109	Connecting pin for Runner profile	2	Pc	200	316	73170080
	9242229	9242229	Soft closing for 2 doors with 50 Kg	1	Set	1	6,300	39263000
	9344941	9344941	Runner profile (Left 1500 mm + Right 1500 mm)	1	Set	1	4,200	76042990
	9288835	9288835	STB 12 Guide Profile 3000 mm	1	Pc	4	2,390	76042990
	9325495	9325495	2 Door STB 12 Guide Kit	1	Set	1	2,430	83024200
			Total Set				24,156	
	TopLine L Loft Version (2 Door Front Right 25 mm thickness) with STB 12 (Screw from front) – Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-2000 mm							
	9333866	9333866	2 Door front right EB 36 for max. 25 mm thick door	1	Set	1	8,520	83024200
	9315109	9315109	Connecting pin for Runner profile	2	Pc	200	316	73170080
	9242229	9242229	Soft closing for 2 doors with 50 Kg	1	Set	1	6,300	39263000
	9344941	9344941	Runner profile (Left 1500 mm + Right 1500 mm)	1	Set	1	4,200	76042990
	9288835	9288835	STB 12 Guide Profile 3000 mm	1	Pc	4	2,390	76042990
	9325495	9325495	2 Door STB 12 Guide Kit	1	Set	1	2,430	83024200
			Total Set				24,156	
	TopLine L Loft Version (3 Door 20 mm thickness) with STB 11 (Screw from bottom) – Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-2000 mm							
	9333864	9333864	3 Door EB 32 for max. 20 mm thick door	1	Set	1	11,660	83024200
	9315109	9315109	Connecting pin for Runner profile	2	Pc	200	316	73170080
	9242230	9242230	Soft closing for 3 doors with 50 Kg	1	Set	1	11,030	39263000
	9344941	9344941	Runner profile (Left 1500 mm + Right 1500 mm)	1	Set	1	4,200	76042990
	9288836	9288836	STB 11 Guide Profile 3000 mm	1	Pc	4	2,390	76042990
	9340124	9340124	3 Door STB 11 Guide Kit	1	Set	1	4,620	83024200
			Total Set				34,216	
	TopLine L Loft Version (3 Door 25 mm thickness) with STB 11 (Screw from bottom) – Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-2000 mm							
	9333865	9333865	3 Door EB 36 for max. 25 mm thick door	1	Set	1	11,590	83024200
	9315109	9315109	Connecting pin for Runner profile	2	Pc	200	316	73170080
	9242230	9242230	Soft closing for 3 doors with 50 Kg	1	Set	1	11,030	39263000
	9344941	9344941	Runner profile (Left 1500 mm + Right 1500 mm)	1	Set	1	4,200	76042990
	9288836	9288836	STB 11 Guide Profile 3000 mm	1	Pc	4	2,390	76042990
	9340124	9340124	3 Door STB 11 Guide Kit	1	Set	1	4,620	83024200
			Total Set				34,146	

Sliding & Folding Systems

► TopLine L Loft Version



Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
TopLine L Loft Version (With Wooden Door Thickness 16 – 25 mm / With 55 mm Aluminium Frame Door)								
	TopLine L Loft Version (3 Door 20 mm thickness) with STB 12 (Screw from front) – Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-2000 mm							
	9333864	9333864	3 Door EB 32 for max. 20 mm thick door	1	Set	1	11,660	83024200
	9315109	9315109	Connecting pin for Runner profile	2	Pc	200	316	73170080
	9242230	9242230	Soft closing for 3 doors with 50 Kg	1	Set	1	11,030	39263000
	9344941	9344941	Runner profile (Left 1500 mm + Right 1500 mm)	1	Set	1	4,200	76042990
	9288835	9288835	STB 12 Guide Profile 3000 mm	1	Pc	4	2,390	76042990
	45083	45083	3 Door STB 12 Guide Kit	1	Set	1	2,710	83024200
			Total Set				32,306	
	TopLine L Loft Version (3 Door 25 mm thickness) with STB 12 (Screw from front) – Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-2000 mm							
	9333865	9333865	3 Door EB 36 for max. 25 mm thick door	1	Set	1	11,590	83024200
	9315109	9315109	Connecting pin for Runner profile	2	Pc	200	316	73170080
	9242230	9242230	Soft closing for 3 doors with 50 Kg	1	Set	1	11,030	39263000
	9344941	9344941	Runner profile (Left 1500 mm + Right 1500 mm)	1	Set	1	4,200	76042990
	9288835	9288835	STB 12 Guide Profile 3000 mm	1	Pc	4	2,390	76042990
	45083	45083	3 Door STB 12 Guide Kit	1	Set	1	2,710	83024200
			Total Set				32,236	
	TopLine L Loft Version : Silent System Soft Opening, Soft Colliding & Cover Profile							
	9242227	9242227	Silent system Soft opening for 2 door weight upto 50 kg	1	Set	1	6,300	83024200
	9242228	9242228	Silent system Soft opening for 3 door weight upto 50 kg	1	Set	1	11,240	83024200
	9254630	9254630	Soft colliding for the rear most doors of 3 door sliding door cabinets	1	Set	1	1,440	83024200
	9277440	9277440	Cover Profile 1500 mm Grey Finish	1	Pc	1	840	39169090
	TopLine L Loft Profiles							
	9361092*	9361092*	Runner Profile (Left 1500 mm + Right 1500 mm) – Black	1	Set	1	5,250	76042990
	9361093*	9361093*	STB 11 Guide Profile 3000 mm – Black	1	Pc	4	2,990	76042990
	9361094*	9361094*	STB 12 Guide Profile 3000 mm – Black	1	Pc	4	2,990	76042990

*Available till stock last

Sliding & Folding Systems

► TopLine L



Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
TopLine L (With Wooden Door Thickness 18–30 mm)								
	TopLine L (2 Door Front Left 18–30 mm thickness) with STB 11 (Screw from bottom) – Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550–1500 mm							
	9322660	9322660	TL L 2 Door Left 18–30 mm Wooden Runner kit	1	Set	1	8,070	83024200
	9340325	9340325	STB 11 Guide kit for 2 Doors	1	Set	1	2,430	83024200
	9242238	9242238	Silent system Soft Closing for 2 door weight upto 50 kg	1	Set	1	6,300	83024200
	9306367	9306367	3000 mm Runner profile and Guide Profile (screw from bottom)	1	Set	2	5,150	83024200
			Total Set				21,950	
	TopLine L (2 Door Front Left 18–30 mm thickness) with STB 11 (Screw from top) – Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550–1500 mm							
	9322660	9322660	TL L 2 Door Left 18–30 mm Wooden Runner kit	1	Set	1	8,070	83024200
	9340325	9340325	STB 11 Guide kit for 2 Doors	1	Set	1	2,430	83024200
	9242238	9242238	Silent system Soft Closing for 2 door weight upto 50 kg	1	Set	1	6,300	83024200
	9315516	9315516	3000 mm Runner profile and Guide Profile (STB 11 Screw from top)	1	Set	2	5,150	83024200
			Total Set				21,950	
	TopLine L (2 Door Front Left 18–30 mm thickness) with STB 12 (Screw from front) – Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550–1500 mm							
	9322660	9322660	TL L 2 Door Left 18–30 mm Wooden Runner kit	1	Set	1	8,070	83024200
	9325495	9325495	STB 12 Guide kit for 2 Doors	1	Set	1	2,430	83024200
	9242238	9242238	Silent system Soft Closing for 2 door weight upto 50 kg	1	Set	1	6,300	83024200
	9315199	9315199	3000 mm Runner profile and Guide Profile (STB 12 Screw from front)	1	Set	2	5,150	83024200
			Total Set				21,950	
	TopLine L (2 Door Front Right 18–30 mm thickness) with STB 11 (Screw from bottom) – Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550–1500 mm							
	9322675	9322675	TL L 2 Door Right 18–30 mm Wooden Runner kit	1	Set	1	8,070	83024200
	9340325	9340325	STB 11 Guide kit for 2 Doors	1	Set	1	2,430	83024200
	9242238	9242238	Silent system Soft Closing for 2 door weight upto 50 kg	1	Set	1	6,300	83024200
	9306367	9306367	3000 mm Runner profile and Guide Profile (screw from bottom)	1	Set	2	5,150	83024200
			Total Set				21,950	
	TopLine L (2 Door Front Right 18–30 mm thickness) with STB 11 (Screw from top) – Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550–1500 mm							
	9322675	9322675	TL L 2 Door Right 18–30 mm Wooden Runner kit	1	Set	1	8,070	83024200
	9340325	9340325	STB 11 Guide kit for 2 Doors	1	Set	1	2,430	83024200
	9242238	9242238	Silent system Soft Closing for 2 door weight upto 50 kg	1	Set	1	6,300	83024200
	9315516	9315516	3000 mm Runner profile and Guide Profile (STB 11 Screw from top)	1	Set	2	5,150	83024200
			Total Set				21,950	

Sliding & Folding Systems

► TopLine L



Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
	TopLine L (2 Door Front Right 18-30 mm thickness) with STB 12 (Screw from front) - Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-1500 mm							
	9322675	9322675	TL L 2 Door Right 18-30 mm Wooden Runner kit	1	Set	1	8,070	83024200
	9325495	9325495	STB 12 Guide kit for 2 Doors	1	Set	1	2,430	83024200
	9242238	9242238	Silent system Soft Closing for 2 door weight upto 50 kg	1	Set	1	6,300	83024200
	9315199	9315199	3000 mm Runner profile and Guide Profile (STB 12 Screw from front)	1	Set	2	5,150	83024200
			Total Set				21,950	
	TopLine L (3 Door 18-30 mm thickness) with STB 11 (Screw from bottom) - Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-1500 mm							
	9322659	9322659	TL L 3 Door 18-30 mm Wooden Runner kit	1	Set	1	10,270	83024200
	9340124	9340124	STB 11 Guide kit for 3 Doors	1	Set	1	4,620	83024200
	9242240	9242240	Silent system Soft Closing for 3 door weight upto 50 kg	1	Set	1	11,240	83024200
	9306367	9306367	3000 mm Runner profile and Guide Profile (screw from bottom)	1	Set	2	5,150	83024200
			Total Set				31,280	
	TopLine L (3 Door 18-30 mm thickness) with STB 11 (Screw from top) - Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-1500 mm							
	9322659	9322659	TL L 3 Door 18-30 mm Wooden Runner kit	1	Set	1	10,270	83024200
	9340124	9340124	STB 11 Guide kit for 3 Doors	1	Set	1	4,620	83024200
	9242240	9242240	Silent system Soft Closing for 3 door weight upto 50 kg	1	Set	1	11,240	83024200
	9315516	9315516	3000 mm Runner profile and Guide Profile (STB 11 Screw from top)	1	Set	2	5,150	83024200
			Total Set				31,280	
	TopLine L (3 Door 18-30 mm thickness) with STB 12 (Screw from front) - Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-1500 mm							
	9322659	9322659	TL L 3 Door 18-30 mm Wooden Runner kit	1	Set	1	10,270	83024200
	45083	45083	STB 12 Guide kit for 3 Doors	1	Set	1	2,710	83024200
	9242240	9242240	Silent system Soft Closing for 3 door weight upto 50 kg	1	Set	1	11,240	83024200
	9315199	9315199	3000 mm Runner profile and Guide Profile (STB 12 Screw from front)	1	Set	2	5,150	83024200
			Total Set				29,370	
TopLine L (With Aluminium Door Thickness 18-30 mm with 55 mm Aluminium Frame Door)								
	TopLine L (2 Door Front Left 18-30 mm thickness) with STB 11 (Screw from bottom) - Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-1500 mm							
	9322696	9322696	TL L 2 Door Left 18-30 mm Aluminium runner kit	1	Set	1	11,150	83024200
	9340325	9340325	STB 11 Guide kit for 2 Doors	1	Set	1	2,430	83024200
	9242238	9242238	Silent system Soft Closing for 2 door weight upto 50 kg	1	Set	1	6,300	83024200
	9306367	9306367	3000 mm Runner profile and Guide Profile (screw from bottom)	1	Set	2	5,150	83024200
			Total Set				25,030	

Sliding & Folding Systems

► TopLine L



Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
	TopLine L (2 Door Front Left 18-30 mm thickness) with STB 11 (Screw from top) – Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-1500 mm							
	9322696	9322696	TL L 2 Door Left 18-30 mm Aluminium runner kit	1	Set	1	11,150	83024200
	9340325	9340325	STB 11 Guide kit for 2 Doors	1	Set	1	2,430	83024200
	9242238	9242238	Silent system Soft Closing for 2 door weight upto 50 kg	1	Set	1	6,300	83024200
	9315516	9315516	3000 mm Runner profile and Guide Profile (STB 11 Screw from top)	1	Set	2	5,150	83024200
			Total Set				25,030	
	TopLine L (2 Door Front Left 18-30 mm thickness) with STB 12 (Screw from front) – Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-1500 mm							
	9322696	9322696	TL L 2 Door Left 18-30 mm Aluminium runner kit	1	Set	1	11,150	83024200
	9325495	9325495	STB 12 Guide kit for 2 Doors	1	Set	1	2,430	83024200
	9242238	9242238	Silent system Soft Closing for 2 door weight upto 50 kg	1	Set	1	6,300	83024200
	9315199	9315199	3000 mm Runner profile and Guide Profile (STB 12 Screw from front)	1	Set	2	5,150	83024200
			Total Set				25,030	
	TopLine L (2 Door Front Right 18-30 mm thickness) with STB 11 (Screw from bottom) – Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-1500 mm							
	9322694	9322694	TL L 2 Door Right 18-30 mm Aluminium runner kit	1	Set	1	11,150	83024200
	9340325	9340325	STB 11 Guide kit for 2 Doors	1	Set	1	2,430	83024200
	9242238	9242238	Silent system Soft Closing for 2 door weight upto 50 kg	1	Set	1	6,300	83024200
	9306367	9306367	3000 mm Runner profile and Guide Profile (screw from bottom)	1	Set	2	5,150	83024200
			Total Set				25,030	
	TopLine L (2 Door Front Right 18-30 mm thickness) with STB 11 (Screw from top) – Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-1500 mm							
	9322694	9322694	TL L 2 Door Right 18-30 mm Aluminium runner kit	1	Set	1	11,150	83024200
	9340325	9340325	STB 11 Guide kit for 2 Doors	1	Set	1	2,430	83024200
	9242238	9242238	Silent system Soft Closing for 2 door weight upto 50 kg	1	Set	1	6,300	83024200
	9315516	9315516	3000 mm Runner profile and Guide Profile (STB 11 Screw from top)	1	Set	2	5,150	83024200
			Total Set				25,030	
	TopLine L (2 Door Front Right 18-30 mm thickness) with STB 12 (Screw from front) – Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-1500 mm							
	9322694	9322694	TL L 2 Door Right 18-30 mm Aluminium runner kit	1	Set	1	11,150	83024200
	9325495	9325495	STB 12 Guide kit for 2 Doors	1	Set	1	2,430	83024200
	9242238	9242238	Silent system Soft Closing for 2 door weight upto 50 kg	1	Set	1	6,300	83024200
	9315199	9315199	3000 mm Runner profile and Guide Profile (STB 12 Screw from front)	1	Set	2	5,150	83024200
			Total Set				25,030	

Sliding & Folding Systems

► TopLine L



Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
	TopLine L (3 Door 18-30 mm thickness) with STB 11 (Screw from bottom) - Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-1500 mm							
	9322697	9322697	TL L 3 Door 18-30 mm Aluminium runner kit	1	Set	1	15,540	83024200
	9340124	9340124	STB 11 Guide kit for 3 Doors	1	Set	1	4,620	83024200
	9242240	9242240	Silent system Soft Closing for 3 door weight upto 50 kg	1	Set	1	11,240	83024200
	9306367	9306367	3000 mm Runner profile and Guide Profile (screw from bottom)	1	Set	2	5,150	83024200
			Total Set				36,550	
	TopLine L (3 Door 18-30 mm thickness) with STB 11 (Screw from top) - Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-1500 mm							
	9322697	9322697	TL L 3 Door 18-30 mm Aluminium runner kit	1	Set	1	15,540	83024200
	9340124	9340124	STB 11 Guide kit for 3 Doors	1	Set	1	4,620	83024200
	9242240	9242240	Silent system Soft Closing for 3 door weight upto 50 kg	1	Set	1	11,240	83024200
	9315516	9315516	3000 mm Runner profile and Guide Profile (STB 12 Screw from front)	1	Set	2	5,150	83024200
			Total Set				36,550	
	TopLine L (3 Door 18-30 mm thickness) with STB 12 (Screw from front) - Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-1500 mm							
	9322697	9322697	TL L 3 Door 18-30 mm Aluminium runner kit	1	Set	1	15,540	83024200
	45083	45083	STB 12 Guide kit for 3 Doors	1	Set	1	2,710	83024200
	9242240	9242240	Silent system Soft Closing for 3 door weight upto 50 kg	1	Set	1	11,240	83024200
	9315199	9315199	3000 mm Runner profile and Guide Profile (STB 12 Screw from front)	1	Set	2	5,150	83024200
			Total Set				34,640	
TopLine L (With Wooden Door Thickness 35-50 mm)								
	TopLine L: 2 Door Right for Wooden Doors 35-50 mm thickness - Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-1500 mm							
	9242715	9242715	2 Door right - Runner Set, Guide set & Fixing material for Door thickness of 35-50 mm for door weight upto 50 kg	1	Set	1	10,820	83024200
	9242238	9242238	Silent system Soft Closing for 2 door weight upto 50 kg	1	Set	1	6,300	83024200
	9306367	9306367	3000 mm Runner profile and Guide Profile (screw from bottom)	1	Set	2	5,150	83024200
	BOM Code	9320997	Total Set				22,260	
	TopLine L: 2 Door Left for Wooden Doors 35-50 mm thickness - Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-1500 mm							
	9242714	9242714	2 Door left - Runner Set, Guide set & Fixing material for Door thickness of 35-50 mm for door weight upto 50 kg	1	Set	1	10,820	83024200
	9242238	9242238	Silent system Soft Closing for 2 door weight upto 50 kg	1	Set	1	6,300	83024200
	9306367	9306367	3000 mm Runner profile and Guide Profile (screw from bottom)	1	Set	2	5,150	83024200
	BOM Code	9320998	Total Set				22,260	

Sliding & Folding Systems

► TopLine L



Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
	TopLine L: 3 Door for Wooden Doors 35-50 mm thickness - Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-1500 mm							
	9242718	9242718	3 Door Runner Set, Guide set & Fixing material for Door thickness of 35-50 mm for door weight upto 50 kg	1	Set	1	13,230	83024200
	9242240	9242240	Silent system Soft Closing for 3 door weight upto 50 kg	1	Set	1	11,240	83024200
	9306367	9306367	3000 mm Runner profile and Guide Profile (screw from bottom)	1	Set	2	5,150	83024200
	BOM Code	9321005	Total Set				29,610	
	TopLine L: 2 Door Right for Wooden Doors 35-50 mm thickness - Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-1500 mm							
	9242715	9242715	2 Door right - Runner Set, Guide set & Fixing material for Door thickness of 35-50 mm for door weight upto 50 kg	1	Set	1	10,820	83024200
	9242238	9242238	Silent system Soft Closing for 2 door weight upto 50 kg	1	Set	1	6,300	83024200
	9315516	9315516	3000 mm Runner profile and Guide Profile (STB 11 Screw from top)	1	Set	2	5,150	83024200
	BOM Code	9321026	Total Set				22,260	
	TopLine L: 2 Door Left for Wooden Doors 35-50 mm thickness - Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-1500 mm							
	9242714	9242714	2 Door left - Runner Set, Guide set & Fixing material for Door thickness of 35-50 mm for door weight upto 50 kg	1	Set	1	10,820	83024200
	9242238	9242238	Silent system Soft Closing for 2 door weight upto 50 kg	1	Set	1	6,300	83024200
	9315516	9315516	3000 mm Runner profile and Guide Profile (STB 11 Screw from top)	1	Set	2	5,150	83024200
	BOM Code	9321027	Total Set				22,260	
	TopLine L: 3 Door for Wooden Doors 35-50 mm thickness - Weight 50 kg per door; Max. Door Dimensions: Height 2600 mm & Width 550-1500 mm							
	9242718	9242718	3 Door Runner Set, Guide set & Fixing material for Door thickness of 35-50 mm for door weight upto 50 kg	1	Set	1	13,230	83024200
	9242240	9242240	Silent system Soft Closing for 3 door weight upto 50 kg	1	Set	1	11,240	83024200
	9315516	9315516	3000 mm Runner profile and Guide Profile (STB 11 Screw from top)	1	Set	2	5,150	83024200
	BOM Code	9321029	Total Set				29,610	
	TopLine L: Silent System Soft Opening, Soft Colliding & Cover Profile							
	9242227	9242227	Silent system Soft opening for 2 door weight upto 50 kg	1	Set	1	6,300	83024200
	9242228	9242228	Silent system Soft opening for 3 door weight upto 50 kg	1	Set	1	11,240	83024200
	9254630	9254630	Soft colliding for the rear most doors of 3 door sliding door cabinets	1	Set	1	1,440	83024200
	9277167	9277167	4000 mm Runner profile and Guide Profile	1	Set	1	17,860	83024200
	9277440	9277440	Cover Profile 1500 mm Grey Finish	1	Pc	1	840	39169090
	TopLine L Profiles							
	9361096	9361096	3000 mm Runner Profile and Guide Profile (screw from bottom) - Black	1	Set	2	6,430	76042990
	9361097*	9361097*	3000 mm Runner Profile and Guide Profile (STB 11 Screw from top) - Black	1	Set	2	6,430	76042990
	9361095*	9361095*	3000 mm Runner Profile and Guide Profile (STB 12 Screw from front) - Black	1	Set	2	6,430	76042990

*Available till stock last

Sliding & Folding Systems

► TopLine 110, SlideLine M, SlideLine 55 & SlideLine 56



Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
Top Running & Inset Wardrobe/Cabinet Sliding Fittings								
TopLine 110								
	TopLine 110: 2 Door for Wooden & Aluminium Profile Doors – Weight 20 kg per door; Max Door Dimensions: Height 2000 mm & Width 500–1500 mm							
	9040230	9040230	Aluminium Runner Profile 3000 mm for gluing in	1	Pc	1	2,250	76042990
	45317	45317	TopLine 110 Set for 2 Door Cabinet (for 16–19 mm door thickness)	1	Set	1	3,620	83024200
Bottom Running & Overlay & Inset Cabinet Door Sliding Fittings								
SlideLine M								
	SlideLine M: 1 Door for Wooden & Aluminium framed Doors – Weight 30 kg per door; Max Door Dimensions: Height 2000 mm & Width 300–1800 mm							
	9156338	9156338	Set fitting SlideLine M with Silent system for Wooden & 55 mm Alu. Profile Doors (Min. Width 450 mm; Weight Max. 30kg; Self Thickness 16–25 mm)	1	Set	1	11,250	83024200
	9209225	9209225	Profile Set SL-M 18/2500 mm 1 Profile	1	Set	1	7,150	76042990
	9209226	9209226	Profile Set SL-M 18/4000 mm 1 Profile	1	Set	1	10,230	76042990
	9209277	9209277	Decorative Silver Cover for 18 mm /2500 mm	1	Set	1	2,760	39199080
	9209278	9209278	Decorative Silver Cover for 18 mm /4000 mm	1	Set	1	3,780	39199080
SlideLine 55								
	SlideLine 55: 2 Door for Wooden Doors – Weight 30 kg/door – Alu Runner Profile Max Door Dimensions: Height 1500 mm & Width 400–1500 mm							
	9314320	9314320	Profile 3000 mm	1	Pc	24	273	39169090
	25122	1006347	Running Component for 15 Kg door (For 16–19 mm thick doors)	1	Pc	100	66	39263000
	25123	1006263	Guide Component with Spring Loaded bolt (For 16–19 mm thick doors)	1	Pc	100	82	39263000
	47392	47392	Door Stopper Press-In for 15 kg Door	1	Pc	100	21	39263000
SlideLine 56								
	SlideLine 56: 2 Door for Wooden Doors– Weight 40 kg per door; Max Door Dimensions: Height 2000 mm & Width 500–1000 mm							
	9288854	9288854	Aluminium Runner Profile 2000 mm Silver	1	Pc	24	399	76042990
	9288856	9288856	Aluminium Runner Profile 3000 mm Silver	1	Pc	24	599	76042990
	9325496	9325496	2 Door Kit for 1 cabinet (16–19 mm thick door)	1	Set	1	1,980	83024200
	9336848	9336848	3 Door Kit for 1 cabinet (16–19 mm thick door)	1	Set	1	2,960	39263000


Sliding & Folding Systems

► Grant 400 Neo



Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
---------	-------------	-----	------------------	------	------	----	-----	---------

Grant 400 Neo: Ordering via BOM Code

	A. Profile Hardware Set							
	9323591	9323591	Top & Bottom Track set 2400 mm with 1 Lock SA	1	Set	1	5,030	76042990
	9323592	9323592	Top & Bottom Track set 2400 mm with 1 Lock BL	1	Set	1	7,670	76042990
	9323593	9323593	Top & Bottom Track set 2400 mm with 1 Lock DC	1	Set	1	7,670	76042990
	9323594	9323594	Top & Bottom Track set 3600 mm with 2 Locks SA	1	Set	1	8,170	76042990
	9323595	9323595	Top & Bottom Track set 3600 mm with 2 Locks BL	1	Set	1	12,130	76042990
	9323596	9323596	Top & Bottom Track set 3600 mm with 2 Locks DC	1	Set	1	12,130	76042990
	Note: Order 1 Set of Profile hardware per wardrobe depending on planned carcase width							

	B. Shutter Hardware Set (Per door)							
	9323597	9323597	Shutter Hardware set with C handle & 1 Middle profile SA for 1 door	1	Set	1	11,160	76042990
	9323599	9323599	Shutter Hardware set with C handle & 1 Middle profile BL for 1 door	1	Set	1	15,932	76042990
	9323601	9323601	Shutter Hardware set with C handle & 1 Middle profile DC for 1 door	1	Set	1	15,932	76042990
	9323598	9323598	Shutter Hardware set with R handle & 1 Middle profile SA for 1 door	1	Set	1	12,820	76042990
	9323600	9323600	Shutter Hardware set with R handle & 1 Middle profile BL for 1 door	1	Set	1	17,072	76042990
	9323602	9323602	Shutter Hardware set with R handle & 1 Middle profile DC for 1 door	1	Set	1	18,092	76042990

	9323603	9323603	Shutter Hardware set with C handle & 2 Middle profiles SA for 1 door	1	Set	1	12,051	76042990
	9323605	9323605	Shutter Hardware set with C handle & 2 Middle profiles BL for 1 door	1	Set	1	17,247	76042990
	9323607	9323607	Shutter Hardware set with C handle & 2 Middle profiles DC for 1 door	1	Set	1	17,247	76042990
	9323604	9323604	Shutter Hardware set with R handle & 2 Middle profiles SA for 1 door	1	Set	1	13,711	76042990
	9323606	9323606	Shutter Hardware set with R handle & 2 Middle profiles BL for 1 door	1	Set	1	18,387	76042990
	9323608	9323608	Shutter Hardware set with R handle & 2 Middle profiles DC for 1 door	1	Set	1	19,407	76042990
	Note: Order Shutter Hardware 2 Sets for 2 Door & 3 Sets for 3 Door wardrobe							

Ordering Example

2 Door Wardrobe with 3 Partition, C type handle SA		3 Door Wardrobe with 3 Partition, C type handle SA	
	A. Profile HW set - 9323591 x 1 4,789 x 1 = 4,789		A. Profile HW set - 9323594 x 1 7,782 x 1 = 7,782
	B. Shutter HW set - 9323603 x 2 11,113 x 2 = 22,226		B. Shutter HW set - 9323603 x 3 11,113 x 3 = 33,339
	Total (A+B)= 27,015		Total (A+B)= 41,121

Sliding & Folding Systems

► Grant 400 Neo



Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
Grant 400 Neo: Ordering via Child Code								
	Grant 400 Neo: 2/3 Door (Floor to Ceiling) Sliding system with Soft Closing & Soft Opening; Max door dimensons: Height 3500 mm & Width 1200 mm – Silver Anodized							
	9289653	9289653	Soft closing Dampers & Rollers 50 kg Kit	1	Set	1	3,290	83024100
	9306616	9306616	Soft closing Dampers & Rollers 30 kg Kit	1	Set	1	2,940	83024200
	9351363	9351363	Upper-Bottom Track, 3600 mm SA	1	Set	1	5,650	76042990
	9351364	9351364	Upper-Bottom Track, 2400 mm SA	1	Set	1	3,770	76042990
	9296881	9296881	Middle Door Frame Profile – 1200 mm SA	1	Pc	2	606	76042990
	9351369	9351369	Upper-Bottom Door Frame Profile-1200mm SA	1	Set	1	1,240	76042990
	9296883	9296883	Vertical door frame cum Handle C type 3500mm SA	1	Pc	2	2,290	76042990
	9306168	9306168	Vertical door frame cum Handle R type 3500mm SA	1	Pc	2	3,120	76042990
	Grant 400 Neo: 2/3 Door (Floor to Ceiling) Sliding system with Soft Closing & Soft Opening; Max door dimensions: Height 3500 mm & Width 1200 mm – Black							
	9289653	9289653	Soft closing Dampers & Rollers 50 kg Kit	1	Set	1	3,290	83024100
	9306616	9306616	Soft closing Dampers & Rollers 30 kg Kit	1	Set	1	2,940	83024200
	9351365	9351365	Upper-Bottom Track, 3600 mm Black	1	Set	1	9,610	76042990
	9351366	9351366	Upper-Bottom Track, 2400 mm Black	1	Set	1	6,410	76042990
	9300512	9300512	Middle Door Frame Profile – 1200 mm Black	1	Pc	2	1,030	76042990
	9351370	9351370	Upper-Bottom Door Frame Profile-1200mm Black	1	Set	1	2,240	76042990
	9300498	9300498	Vertical door frame cum Handle C type 3500mm BL	1	Pc	2	3,900	76042990
	9306169	9306169	Vertical door frame cum Handle R type 3500mm BL	1	Pc	2	4,470	76042990
	Grant 400 Neo: 2/3 Door (Floor to Ceiling) Sliding system with Soft Closing & Soft Opening; Max door dimensions: Height 3500 mm & Width 1200 mm – Dark Champagne							
	9289653	9289653	Soft closing Dampers & Rollers 50 kg Kit	1	Set	1	3,290	83024100
	9306616	9306616	Soft closing Dampers & Rollers 30 kg Kit	1	Pc	1	2,940	83024200
	9351367	9351367	Upper-Bottom Track, 3600 mm DC	1	Set	1	9,610	76042990
	9351368	9351368	Upper-Bottom Track, 2400 mm DC	1	Set	1	6,410	76042990
	9319948	9319948	Middle Door Frame Profile – 1200 mm DC	1	Pc	2	1,030	76042990
	9351441	9351441	Upper-Bottom Door Frame Profile- 1200 mm DC	1	Set	1	2,240	76042990
	9319943	9319943	Vertical door frame cum Handle C type 3500mm DC	1	Pc	2	3,900	76042990
	9320013	9320013	Vertical door frame cum Handle R type 3500mm DC	1	Pc	2	4,980	76042990
Grant 400 Neo: Accessories								
	9426349	9426349	Fixing Screw ST 6X30 mm for Grant 400 Neo Profiles	1	Pc	5	17	73181600
	9375595	9375595	Sealing Brush 3500 mm Silver	1	Pc	1	138	39204900
	9375596	9375596	Sealing Brush 3500 mm Black	1	Pc	1	138	39204900
	9375597	9375597	Sealing Brush 3500 mm DCH	1	Pc	1	138	39204900
	9293855	9293855	Glass Sealing Strip 6mm for Grant 400 Neo, 1200 mm	1	Pc	1	100	39204900
	9293856	9293856	Glass Sealing Strip 6mm for Grant 400 Neo, 3500 mm	1	Pc	1	290	39204900
	9305699	9305699	Grant 400 Neo Lock 120 KC SA	1	Set	1	1,260	39204900
	9341201	9341201	Grant 400 Neo Lock 120 KC BL	1	Set	1	1,260	83013000
	9341203	9341203	Grant 400 Neo Lock 120 KC DC	1	Set	1	1,260	83013000

Sliding & Folding Systems

► Vertico Synchro, Vertico Mono & WingLine L (Old)



Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
Vertically running Door Sliding Fittings: Vertico Synchro & Vertico Mono								
	Vertico Synchro: 2 Door for Wooden and Aluminium Profile Doors – Weight 15 kg per door; Max Door Dimensions: Height 400–600 mm & Width 1500 mm max.							
	9418911	9418911	Vertico Synchro Set 400 for Overlay Door height 400–600 mm	1	Set	1	31,760	83024200
	9418688	9418688	Cover Profile 2500 mm Aluminium Silver anodised	2	Pc	1	4,280	76042990
	Vertico Mono: 1 Door for Wooden and Aluminium Profile Doors – Weight 15 kg per door; Max Door Dimensions: Height 400–700 mm & Width 1500 mm max.							
	45315*	45315*	Set Vertico Mono for inset door	1	Set	1	25,480	83024200
	9418688	9418688	Cover Profile 2500 mm Aluminium Silver anodised	2	Pc	1	4,280	76042990
Folding Door System for Wardrobe / Cabinet								
WingLine L (Old)								
	WingLine L Push to move – Weight 5 kg to 12 kg per shutter; Max Door Dimensions: 1600 mm Height & 600 mm Door Wing Width (Order Sensys 8675 Hinges Separately)							
	9237901	9237901	Wing Line L Kit - Left	1	Pc	1	2,810	83024200
	9237900	9237900	Wing Line L Kit - Right	1	Pc	1	2,810	83024200
	9238051	9238051	Push to Move Mechanisms Medium- Left	1	Pc	1	9,710	83024200
	9238101	9238101	Push to Move Mechanisms Medium- Right	1	Pc	1	9,710	83024200
	9307515	9307515	Runner Profile – 2400 mm	1	Pc	2	3,040	76042990
	9237758	9237758	Profile Mounting Clip	2	Pc	1	252	39269097
	WingLine L Push to move – Weight 12 kg to 25 Kg per shutter; Max Door Dimensions: 2400 mm Height & 600 mm Door Wing Width (Order Sensys 8675 Hinges Separately) Profile size: 2400 mm							
	9237880	9237880	Wing Line L Kit - Left	1	Pc	1	4,610	83024200
	9237881	9237881	Wing Line L Kit - Right	1	Pc	1	4,610	83024200
	9238052	9238052	Push to Move Mechanisms Heavy - Left	1	Pc	1	10,470	83024200
	9238053	9238053	Push to Move Mechanisms Heavy - Right	1	Pc	1	10,470	39263000
	9313037	9313037	Profile Set 2400 mm SA Finish	1	Pc	1	4,600	76042990
	9264191	9264191	Mechanical Catch	1	Set	50	1,320	83024200
	WingLine L Pull to move – Weight 5 kg to 12 kg per shutter; Max Door Dimensions: 1600 mm Height & 600 mm Door Wing Width (Order Sensys 8675 Hinges Separately)							
	9237901	9237901	Wing Line L Kit - Left	1	Pc	1	2,810	83024200
	9237900	9237900	Wing Line L Kit - Right	1	Pc	1	2,810	83024200
	9238115	9238115	Pull to move Mechanisms Medium- Left	1	Pc	1	10,270	83024200
	9238116	9238116	Pull to move Mechanisms Medium- Right	1	Pc	1	9,710	83024200
	9307515	9307515	Runner Profile – 2400 mm	1	Pc	2	3,040	76042990
	9237758	9237758	Profile Mounting Clip	2	Pc	1	252	39269097
	Wingline L Pull to move – Weight 12 kg to 25 kg per shutter; Max Door Dimensions: 2400 mm Height & 600 mm Door Wing Width (Order Sensys 8675 Hinges Separately)							
	9237880	9237880	Wing Line L Kit - Left	1	Pc	1	4,610	83024200
	9237881	9237881	Wing Line L Kit - Right	1	Pc	1	4,610	83024200
	9238125	9238125	Pull to move Mechanisms Heavy - Left	1	Pc	1	11,070	83024200
	9238114	9238114	Pull to move Mechanisms Heavy - Right	1	Pc	1	11,070	83024200
	9313037	9313037	Profile Set 2400 mm SA Finish	1	Pc	1	4,600	76042990

*Available till stock last

Sliding & Folding Systems

► WingLine L (Old & New)



Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
	Wingline L Pull to move Silent – Weight 5 kg to 12 kg per shutter; Max Door Dimensions: 1600 mm Height & 600 mm Door Wing Width (Order Sensys 8645i Hinges Separately)							
	9237903	9237903	Wing Line L Kit - Left	1	Pc	1	2,760	83024200
	9237902	9237902	Wing Line L Kit - Right	1	Pc	1	2,760	83024200
	9238121	9238121	Pull to move Silent Mechanisms Medium - Left	1	Pc	1	8,280	83024200
	9238124	9238124	Pull to move Silent Mechanisms Medium - Right	1	Pc	1	8,650	83024200
	9307515	9307515	Runner Profile - 2400 mm	1	Pc	2	3,040	76042990
	9237758	9237758	Profile Mounting Clip	2	Pc	1	252	39269097

	Wingline L Pull to move Silent – Weight 12 kg to 25 kg per shutter; Max Door Dimensions: 2400 mm Height & 600 mm Door Wing Width (Order Sensys 8645i Hinges Separately) Profile size: 2400 mm							
	9237852	9237852	Wing Line L Kit - Left	1	Pc	1	4,700	83024200
	9237890	9237890	Wing Line L Kit - Right	1	Pc	1	4,700	83024200
	9238123	9238123	Pull to move Silent Mechanisms Heavy - Left	1	Pc	1	9,250	39269097
	9238122	9238122	Pull to move Silent Mechanisms Heavy - Right	1	Pc	1	9,250	39269097
	9313037	9313037	Profile Set 2400 mm SA Finish	1	Pc	1	4,600	76042990

WingLine L (New)

	WingLine L Push to move – Weight 5 kg to 12 kg, Max Door Dimensions: 2600 mm Height & 600 mm Door Width							
	9339481	9339481	WingLine L Kit - Left	1	Set	1	3,300	83024200
	9339486	9339486	WingLine L centre hinge set, standard, 3 per set	1	Set	1	920	83024200
	9339392	9339392	WingLine L Kit - Right	1	Set	1	3,300	83024200
	9339486	9339486	WingLine L centre hinge set, standard, 3 per set	1	Set	1	920	83024200
	9339520	9339520	WingLine L, Push to move & Pull to move set	2	Set	1	17,000	83024200
	9266220	9266220	WingLine L magnetic stay closed function	2	Set	1	4,240	83024200
	9298326	9298326	WingLine L Profile mounting clip	2	Pc	1	340	39269097
	9307515	9307515	Runner Profile - 2400 mm	1	Pc	2	3,040	76042990

	WingLine L Push to move – Weight 12 kg to 25 kg, Max Door Dimensions: 2600 mm Height & 600 mm Door Width							
	9339357	9339357	WingLine L Kit - Left	1	Set	1	4,265	83024200
	9339480	9339480	WingLine L centre hinge set, standard, 2 per set	2	Set	1	1,240	83024200
	9339348	9339348	WingLine L Kit - Right	1	Set	1	4,265	83024200
	9339480	9339480	WingLine L centre hinge set, standard, 2 per set	2	Set	1	1,240	83024200
	9339520	9339520	WingLine L, Push to move and Pull to move set	2	Set	1	17,000	83024200
	9266220	9266220	WingLine L magnetic stay closed function,	2	Set	1	4,240	83024200
	9264191	9264191	WingLine L Mechanical stay closed function	1	Set	1	1,320	83024200
	9313037	9313037	Profile Set 2400 mm SA Finish	1	Pc	1	4,600	76042990

	WingLine L Pull to move – Weight 5 kg to 12 kg, Max Door Dimensions: 2600 mm Height & 600 mm Door Width							
	9339481	9339481	WingLine L Kit - Left	1	Set	1	3,300	83024200
	9339486	9339486	WingLine L centre hinge set, standard, 3 per set	1	Set	1	920	83024200
	9339392	9339392	WingLine L Kit - Right	1	Set	1	3,300	83024200
	9339486	9339486	WingLine L centre hinge set, standard, 3 per set	1	Set	1	920	83024200
	9339520	9339520	WingLine L, Push to move and Pull to move set	2	Set	1	17,000	83024200
	9266219	9266219	WingLine L magnetic stay closed function	2	Set	1	4,100	83024200
	9298326	9298326	WingLine L Profile mounting clip	2	Pc	1	340	39269097
	9307515	9307515	Runner Profile - 2400 mm	1	Pc	2	3,040	76042990

	WingLine L Pull to move – Weight 12 kg to 25 kg, Max Door Dimensions: 2600 mm Height & 600 mm Door Width							
	9339357	9339357	WingLine L Kit - Left	1	Set	1	4,265	83024200
	9339480	9339480	WingLine L centre hinge set, standard, 2 per set	2	Set	1	1,240	83024200
	9339348	9339348	WingLine L Kit - Right	1	Set	1	4,265	83024200
	9339480	9339480	WingLine L centre hinge set, standard, 2 per set	2	Set	1	1,240	83024200
	9339520	9339520	WingLine L, Push to move and Pull to move set	2	Set	1	17,000	83024200
	9266219	9266219	WingLine L magnetic stay closed function	2	Set	1	4,100	83024200
	9313037	9313037	Profile Set 2400 mm SA Finish	1	Pc	1	4,600	76042990

*All article codes of WingLine L (old) will be available till stock last.

Sliding & Folding Systems

► WingLine L (New), WingLine 230, Accessories

► TopLine 80 SiSy & TopLine 120 SiSy



Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
	WingLine L Pull to move Silent – Weight 5 kg to 12 kg, Max Door Dimensions: 2600 mm Height & 600 mm Door Width							
	9339477	9339477	WingLine L Kit – Left	1	Set	1	3,300	83024200
	9339486	9339486	WingLine L centre hinge set, standard, 3 per set	1	Set	1	920	83024200
	9339389	9339389	WingLine L Kit – Right	1	Set	1	3,300	83024200
	9339486	9339486	WingLine L centre hinge set, standard, 3 per set	1	Set	1	920	83024200
	9339585	9339585	WingLine L, Pull to move Silent set, heavy	2	Set	1	17,500	83024200
	9298326	9298326	WingLine L Profile mounting clip	2	Pc	1	340	39269097
	9307515	9307515	Runner Profile – 2400 mm	1	Pc	2	3,040	76042990
	WingLine L Pull to move Silent – Weight 12 kg to 25 kg, Max Door Dimensions: 2600 mm Height & 600 mm Door Width							
	9339352	9339352	WingLine L Kit – Left	1	Set	1	4,265	83024200
	9339480	9339480	WingLine L centre hinge set, standard, 2 per set	2	Set	1	1,240	83024200
	9339344	9339344	WingLine L Kit – Right	1	Set	1	4,265	83024200
	9339480	9339480	WingLine L centre hinge set, standard, 2 per set	2	Set	1	1,240	83024200
	9339585	9339585	WingLine L, Pull to move Silent set, heavy	2	Set	1	17,500	83024200
	9313037	9313037	Profile Set 2400 mm SA Finish	1	Pc	1	4,600	76042990
	WingLine 230: 2 Doors with 4 Wings for Wooden Doors – Weight 20–25 kg per door; Max Door Dimensions: Height 3000mm & Door wing Width 600 mm (Order Hinges Separately)							
	79013	1079849	Runner profile Aluminium White 2400 mm	1	Pc	4	9,070	76042990
	79015	9225395	WingLine 230 Set of 4 Wings (Left & Right) (16–25 mm Door thickness)	1	Set	1	30,700	83024200
Accessories for Sliding & Folding Doors								
	45198	9189775	Door Bend Adjustment Rod Fitting – Steel threaded rod with plastic covers	1	Set	2	2,100	83024200
	26453	26453	Brush Sealing Strip 2500mm (27 mm height.; Screw on Brown)	1	Pc	40	1,620	39269097
	9200386	9200386	Self Adhesive Brush Sealing Strip 2500 mm (8 mm height)	1	Pc	1	284	39269097
	9071313	9071313	Sensys 8675 Hinge ; Opening Angle 110° for Push to move and Pull to Move Mechanisms	1	Pc	1	368	83021000
	9214838	9214838	Sensys Mount Plate	1	Pc	100	34	83021000
	9237758	9237758	Profile Mounting Clip	1	Pc	1	126	39269097
Top Running Sliding & Folding Door System as Space Dividers								
	TopLine 80 SiSy: Single Profile Top Running Door – Weight 80 kg/door; Max Door Dimensions: Width 1000/1500 mm (Max.)							
	9289654	9289654	Sliding Kit for 80 kg door with Silent system (Opening & Closing)	1	Set	1	5,200	83024100
	9295967	9295967	Runner profile anodised aluminium profile 2000 mm	1	Pc	4	2,040	76042990
	9295968	9295968	Runner profile anodised aluminium profile 3000 mm	1	Pc	4	3,070	76042990
	9364866	9364866	Runner profile anodised aluminium profile 3600 mm	1	Pc	4	3,620	76042990
	9289655	9289655	Aluminium profile fixing Acc (For Wall Hanging only)	1	Pc	50	231	83024100
	TopLine 120 SiSy: Heavy duty soft close sliding door system for room dividers – Weight 120 kg/door; Max door dimensions: Width 1500 mm (Max.)							
	9297034	9297034	Hanging Roller Sliding System with Opening & Closing Dampener with Bottom Guide for 1 Door	1	Set	1	7,760	83024100
	9302260	9302260	Runner Profile, 3000 mm – Silver Anodized	1	Pc	2	6,910	76042990
	9364865	9364865	Runner Profile, 3600 mm – Silver Anodized	1	Pc	2	8,300	76042990

*All article codes of WingLine L will be available till stock last. New updated article codes will be shared once old stocks liquidated.

Sliding & Folding Systems

► SlideLine 16 PLUS



Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
	SlideLine 16 PLUS – 2 Door Components							
	9384299	9384299	2 Door kit 30 kg dampener (Soft closing)	1	Set	1	3,150	83024200
	9384301	9384301	2 Door kit 50 kg dampener (Soft closing)	1	Set	1	3,360	83024200
	9384306	9384306	Dust strip 2500 mm	1	Pc	1	158	83024200
	9384342	9384342	Profile set SA finish 2400 mm (18-22 mm Th.)	1	Set	3	2,940	76042990
	9384343	9384343	Profile set BL finish 2400 mm (18-22 mm Th.)	1	Set	3	3,360	76042990
	9384394	9384394	Profile set SA finish 2400 mm (22-25 mm Th.)	1	Set	3	3,150	76042990
	9384395	9384395	Profile set BL finish 2400 mm (22-25 mm Th.)	1	Set	3	3,570	76042990
	SlideLine 16 PLUS – 2 Door Components with 4 Dampener							
	9403785	9403785	2 Door kit 30 kg with 4 dampener (Soft cl. & op.)	1	Set	1	4,410	83024200
	9403786	9403786	2 Door kit 50 kg with 4 dampener (Soft cl. & op.)	1	Set	1	4,620	83024200
	9404109	9404109	Runner, Guide & Cover Profile SA 2400 mm (18-22 mm th.)	1	Set	3	3,360	76042990
	9404110	9404110	Runner, Guide & Cover Profile BL 2400 mm (18-22 mm th.)	1	Set	3	3,830	76042990
	9404111	9404111	Runner, Guide & Cover Profile SA 2400 mm (22-25 mm th.)	1	Set	3	3,620	76042990
	9404112	9404112	Runner, Guide & Cover Profile BL 2400 mm (22-25 mm th.)	1	Set	3	4,100	76042990
	SlideLine 16 PLUS – 3 Door Components							
	9384303	9384303	3 Door kit 30 kg dampener (Soft closing)	1	Set	1	4,410	83024200
	9384304	9384304	3 Door kit 50 kg dampener (Soft closing)	1	Set	1	4,620	83024200
	9384306	9384306	Dust strip 2500 mm	1	Pc	1	158	83024200
	9384396	9384396	Profile set SA finish 3600 mm (18-22 mm Th.)	1	Set	3	4,410	76042990
	9384397	9384397	Profile set BL finish 3600 mm (18-22 mm Th.)	1	Set	3	5,040	76042990
	9384398	9384398	Profile set SA finish 3600 mm (22-25 mm Th.)	1	Set	3	4,730	76042990
	9384399	9384399	Profile set BL finish 3600 mm (22-25 mm Th.)	1	Set	3	5,360	76042990
	SlideLine 16 PLUS – 3 Door Components with 4 Dampener							
	9403787	9403787	3 Door kit 30 kg with 4 dampener (Soft cl. & op.)	1	Set	1	5,040	83024200
	9403788	9403788	3 Door kit 50 kg with 4 dampener (Soft cl. & op.)	1	Set	1	5,250	83024200
	9404113	9404113	Runner, Guide & Cover Profile SA 3600 mm (18-22 mm th.)	1	Set	3	5,040	76042990
	9404114	9404114	Runner, Guide & Cover Profile BL 3600 mm (18-22 mm th.)	1	Set	3	5,780	76042990
	9404115	9404115	Runner, Guide & Cover Profile SA 3600 mm (22-25 mm th.)	1	Set	3	5,460	76042990
	9404116	9404116	Runner, Guide & Cover Profile BL 3600 mm (22-25 mm th.)	1	Set	3	6,140	76042990
	Optional Components							
	9384400	9384400	Cover Profile BL Finish 2400 mm (18-22 mm Th.)	1	Pc	10	473	76042990
	9384401	9384401	Cover Profile SA Finish 2400 mm (18-22 mm Th.)	1	Pc	10	420	76042990
	9384402	9384402	Cover Profile BL Finish 2400 mm (22-25 mm Th.)	1	Pc	10	525	76042990
	9384403	9384403	Cover Profile SA Finish 2400 mm (22-25 mm Th.)	1	Pc	10	473	76042990
	9384404	9384404	Cover Profile BL Finish 3600 mm (18-22 mm Th.)	1	Pc	10	735	76042990
	9384405	9384405	Cover Profile SA Finish 3600 mm (18-22 mm Th.)	1	Pc	10	630	76042990
	9384406	9384406	Cover Profile BL Finish 3600 mm (22-25 mm Th.)	1	Pc	10	788	76042990
	9384407	9384407	Cover Profile SA Finish 3600 mm (22-25 mm Th.)	1	Pc	10	735	76042990
	9384306	9384306	Dust Strip 2500 mm	1	Pc	1	158	83024200
	9394747	9394747	Silent system 30 kg	1	Set	1	1,260	83024200
	9394655	9394655	Silent system 50 kg	1	Set	1	1,260	83024200

For 2 door SL16 PLUS with soft opening, 2 pieces of Dampeners need to be ordered.

For 3 door SL16 PLUS with soft opening (only for the centre door), 1 piece of Dampener is required and for the 2 rear-most doors, only soft closing is possible.

Sliding & Folding Systems

► SlideLine 18, Grant 1230, Grant 1260 & RoomLine Slide L 80



Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
	SlideLine 18: 2 / 3 Door Wooden / Aluminium frame doors, Weight 30 / 50 kg per door; thickness 18-25 mm							
	9351207	9351207	2 Door Kit 30 kg Dampener SA	1	Set	1	3,570	83024200
	9351208	9351208	3 Door Kit 30 kg Dampener SA	1	Set	1	4,410	83024200
	9354295	9354295	2 Door Kit 50 kg Dampener SA	1	Set	1	4,200	83024200
	9354296	9354296	3 Door Kit 50 kg Dampener SA	1	Set	1	5,040	83024200
	9375281	9375281	2 Door Kit 30 kg Dampener BL	1	Set	1	3,570	83024200
	9375283	9375283	3 Door Kit 30 kg Dampener BL	1	Set	1	4,410	83024200
	9375284	9375284	2 Door Kit 50 kg Dampener BL	1	Set	1	4,200	83024200
	9375285	9375285	3 Door Kit 50 kg Dampener BL	1	Set	1	5,040	83024200
	9351159	9351159	Profile Set SA Finish 2400 mm	1	Set	2	4,100	76042990
	9351160	9351160	Profile Set BL Finish 2400 mm	1	Set	2	4,620	76042990
	9351157	9351157	Profile Set SA Finish 3600 mm	1	Set	2	6,090	76042990
	9351158	9351158	Profile Set BL Finish 3600 mm	1	Set	2	6,930	76042990
	Grant 1230 with 3000 mm Runner, 147 Kg / Door, max. height 3000 mm & min. thickness 25.5 mm							
	9296872	9296872	Runner profile, 3000 mm	1	Pc	2	5,100	76042990
	9308695	9308695	Kit for 1 door	1	Set	1	7,390	83024190
	9308696	9308696	TopLine 1230 Bumper stop	1	Pc	2	1,310	83024200
	9308697	9308697	Floor Guide Tab Steel	1	Pc	10	517	83024200
			Total Set				14,317	
	Grant 1230 with 3600 mm Runner, 147 Kg / Door, max. height 3000 mm & min. thickness 25.5 mm							
	9296873	9296873	Runner profile, 3600 mm	1	Pc	2	7,470	76041090
	9308695	9308695	Kit for 1 door	1	Set	1	7,390	83024190
	9308696	9308696	TopLine 1230 Bumper stop	1	Pc	2	1,310	83024200
	9308697	9308697	Floor Guide Tab Steel	1	Pc	10	517	83024200
			Total Set				16,687	
	Grant 1260 with 3000 mm Runner (For Heavy Duty Folding Doors) - 80 Kg / Door							
	9308610	9308610	Kit for 1 fold	1	Set	1	12,950	83024200
	9296875	9296875	Guide profile, 3000 mm	1	Pc	2	2,710	76041090
	9296872	9296872	Runner profile, 3000 mm	1	Pc	2	5,100	76042990
	9308642	9308642	Guide rollers	1	Pc	1	1,140	83024190
			Total Set				21,900	
	Grant 1260 with 3600 mm Runner (For Heavy Duty Folding Doors) - 80 Kg / Door							
	9308610	9308610	Kit for 1 fold	1	Set	1	12,950	83024200
	9296876	9296876	Guide profile, 3600 mm	1	Pc	2	2,910	76041090
	9296873	9296873	Runner profile, 3600 mm	1	Pc	2	7,470	76041090
	9308642	9308642	Guide rollers	1	Pc	1	1,140	83024190
			Total Set				24,470	
	RoomLine Slide L 80 - 1530 Version - 80 Kg / Door							
	9381206	9381206	Complete set RoomLine Slide L 80 - 1530	1	Set	1	70,100	83024200