




Floor Spring

Main Door Locks

Door Closer

## Architectural Hardware

Open the doors to magic

Hettich Architectural Hardware solutions are a perfect combination of cutting-edge German technology and exceptional design to keep your residential and commercial spaces smart and secure. From controlling the movement of doors through doors closer to secured locking solutions, from elegant glass solutions to the application of acoustic seals for extra comfort; the range has it all.

IT'S ALL IN HETTICH.





**Hettich**

Door Hinges

► Concealed Ball Bearing Hinges



| Product                                                                                                                                                                    | Article No. | SAP      | Item Description                                                                                                                                   | Qty. | Unit | PU | MRP    | HS Code  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------|------|------|----|--------|----------|
| Mortise Door Hinge: HBN 20 Series                                                                                                                                          |             |          |                                                                                                                                                    |      |      |    |        |          |
| <br>     | 9250490*    | 9250490* | HBN-20 Wide, 158/160 : 6.3"x6.3"x3.5, SS 304, Heavy duty hinge, Patented grease free ball bearing technology, Loading capacity 300kg/ pair, Square | 1    | Pair | 1  | 16,534 | 83021090 |
| Mortise Door Hinge: HBN 14 Series                                                                                                                                          |             |          |                                                                                                                                                    |      |      |    |        |          |
| <br>     | 9228734*    | 9228734* | HBN-14 4"x3"x3 Square edge Z shape drilling pattern for timber doors, capacity 160kg, EN1935 Grade14, Finish SS                                    | 1    | Pair | 1  | 2,224  | 83021090 |
|                                                                                                                                                                            | 9250468*    | 9250468* | HBN-14 5"x4"x3 Square edge Z shape drilling pattern for timber doors, capacity 160kg, EN1935 Grade14, Finish SS                                    | 1    | Pair | 1  | 2,751  | 83021090 |
| <br>  | 9228736*    | 9228736* | HBN-14 4"x3"x3 Round edge Z shape drilling pattern for timber doors, capacity 160kg, EN1935 Grade14, Finish SS                                     | 1    | Pair | 1  | 2,224  | 83021090 |
| <br> | 9228721*    | 9228721* | HBN-14 4"x3"x3 Square edge C shape drilling pattern for Steel doors, capacity 160kg EN1935 Grade14, Finish SS                                      | 1    | Pair | 1  | 2,224  | 83021090 |
|                                                                                                                                                                            | 9228725*    | 9228725* | HBN-14 5"x3"x3 Square edge C shape drilling pattern for Steel doors, capacity 160kg EN1935 Grade14, Finish SS                                      | 1    | Pair | 1  | 2,563  | 83021090 |
|                                                                                                                                                                            | 9228727*    | 9228727* | HBN-14 5"x4"x3 Square edge C shape drilling pattern for Steel doors, capacity 160kg, EN1935 Grade14, Finish SS                                     | 1    | Pair | 1  | 2,751  | 83021090 |

EN 1935 Classification grades (For HBN 14):-

|   |   |   |   |   |   |   |    |
|---|---|---|---|---|---|---|----|
| 4 | 7 | 7 | 1 | 1 | 3 | 1 | 14 |
|---|---|---|---|---|---|---|----|

Note: Please refer Architectural Hardware Exclusive Price List for all available solutions. | \*Available till stock last

| Product                                                                                             | Article No. | SAP      | Item Description                                                                                  | Qty. | Unit | PU | MRP   | HS Code  |
|-----------------------------------------------------------------------------------------------------|-------------|----------|---------------------------------------------------------------------------------------------------|------|------|----|-------|----------|
| HIN – Ball Bearing Hinge : SS 304, 105 min Fire rated, 200,000 Cycle, 5 years Functional Warranty   |             |          |                                                                                                   |      |      |    |       |          |
| <br><div>F</div>   | 9268384*    | 9268384* | SS 304 hinge RD 4"x3"x3, loading capacity up to 120 kg SS finish (with screws)                    | 1    | Pair | 1  | 1,103 | 83021000 |
|                                                                                                     | 9251646     | 9251646  | SS 304 Ball Bearing Hinge, Square Edge, 4"x3"x3, Loading capacity 120 Kg, SS finish (with screws) | 1    | Pair | 1  | 935   | 83021010 |
| <br><div>F</div>   | 9251670     | 9251670  | SS 304 Ball Bearing Hinge, Round Edge, 5"x3"x3, Loading capacity 120 Kg, SS Finish (With Screws)  | 1    | Pair | 1  | 1,105 | 83021010 |
|                                                                                                     | 9251654     | 9251654  | SS 304 Ball Bearing Hinge, Square Edge, 5"x3"x3, Loading capacity 120 kg, SS finish (with screws) | 1    | Pair | 1  | 1,105 | 83021010 |
| <br><div>F</div>   | 9359866*    | 9359866* | SS 304 hinge SQ 4"x3"x3 loading Capacity up to 120 kg, BL Finish (with screws)                    | 1    | Pair | 1  | 1,369 | 83021000 |
|                                                                                                     | 9251648     | 9251648  | SS 304 Ball Bearing Hinge, Square Edge, 4"x3"x3, loading capacity 120 Kg, BL finish (with screws) | 1    | Pair | 1  | 1,100 | 83021010 |
|                                                                                                     | 9251656     | 9251656  | SS 304 Ball Bearing Hinge, Square Edge, 5"x3"x3, Loading capacity 120 Kg, BL (With Screws)        | 1    | Pair | 1  | 1,340 | 83021010 |
| HIN – Ball Bearing Hinge Antique Brass (AB) Finish                                                  |             |          |                                                                                                   |      |      |    |       |          |
| <br><div>F</div> | 9251650     | 9251650  | SS 304 Ball Bearing Hinge, Square Edge, 4"x3"x3, loading capacity 120 Kg, AB finish (with screws) | 1    | Pair | 1  | 1,155 | 83021010 |
| <br><div>F</div> | 9251658     | 9251658  | SS 304 Ball Bearing Hinge, Square Edge, 5"x3"x3, loading capacity 120 Kg, AB finish (with screws) | 1    | Pair | 1  | 1,390 | 83021010 |
| Non Ball Bearing Hinge, Loading capacity 60 kg                                                      |             |          |                                                                                                   |      |      |    |       |          |
|                  | 9251678     | 9251678  | SS 304 Non Ball Bearing Hinge, Sq 4"x3"x2.5, Loading capacity 60 kg, SS finish (with screws)      | 1    | Pair | 1  | 710   | 83021010 |
|                                                                                                     | 9251691     | 9251691  | SS 304 Non Ball Bearing Hinge, Rd, 4"x3"x2.5, Loading capacity 60 kg, SS finish (with screws)     | 1    | Pair | 1  | 710   | 83021010 |
|                                                                                                     | 9251685     | 9251685  | SS 304 Non Ball Bearing hinge, Sq, 5"x3"x2.5, Loading capacity 60 kg, SS finish (with screws)     | 1    | Pair | 1  | 860   | 83021010 |
|                                                                                                     | 9251697     | 9251697  | SS 304 Non Ball Bearing hinge, Rd, 5"x3"x2.5, Loading capacity 60 kg, SS finish (with screws)     | 1    | Pair | 1  | 860   | 83021010 |


EN 1935 Classification grades (For HIN):-

|   |   |   |                |   |   |   |    |
|---|---|---|----------------|---|---|---|----|
| 4 | 7 | 6 | 1 <sup>a</sup> | 1 | 4 | 0 | 13 |
|---|---|---|----------------|---|---|---|----|

Note: Please refer Architectural Hardware Exclusive Price List for all available solutions. | \*Available till stock last

| Product                                                                             | Article No.        | SAP      | Item Description                                                                                          | Qty. | Unit | PU | MRP   | HS Code  |
|-------------------------------------------------------------------------------------|--------------------|----------|-----------------------------------------------------------------------------------------------------------|------|------|----|-------|----------|
|    | Flush Hinge        |          |                                                                                                           |      |      |    |       |          |
|                                                                                     | 9251702*           | 9251702* | Flush Hinge, Square Edge, 4"x3"x2.5 Loading capacity 40kg, SS finish (without screws)                     | 1    | Pair | 1  | 595   | 83021010 |
|                                                                                     | 9251703*           | 9251703* | Flush Hinge, Square Edge, 4"x3"x2.5 Loading capacity 40kg, SS finish (with screws)                        | 1    | Pair | 1  | 650   | 83021010 |
|                                                                                     | 9251704*           | 9251704* | Flush Hinge, Square Edge, 5"x3"x2.5 Loading capacity 40kg, SS finish (without screws)                     | 1    | Pair | 1  | 690   | 83021010 |
|                                                                                     | 9251705*           | 9251705* | Flush Hinge, Square Edge, 5"x3"x2.5, Loading capacity 40 Kg, SS Finish (With Screws)                      | 1    | Pair | 1  | 750   | 83021010 |
|                                                                                     | 9251706*           | 9251706* | Flush Hinge, Square Edge, 5"x3"x3, Loading capacity 40 Kg, SS Finish (Without Screws)                     | 1    | Pair | 1  | 940   | 83021010 |
|                                                                                     | 9251707*           | 9251707* | Flush Hinge, Square Edge, 5"x3"x3, Loading capacity 40 Kg, SS Finish (With Screws)                        | 1    | Pair | 1  | 995   | 83021010 |
|                                                                                     | 9436499*           | 9436499* | Flush Hinge, Square Edge, 4"x3"x2.5, Loading capacity 40 Kg, BL Finish (Without Screws)                   | 1    | Pair | 1  | 900   | 83021010 |
|                                                                                     | 9436500*           | 9436500* | Flush Hinge, Square Edge, 4"x3"x2.5, Loading capacity 40 Kg, BL Finish (With Screws)                      | 1    | Pair | 1  | 950   | 83021010 |
|                                                                                     | 9436501*           | 9436501* | Flush Hinge, Square Edge, 5"x3"x2.5, Loading capacity 40 Kg, SS Finish (Without Screws)                   | 1    | Pair | 1  | 975   | 83021010 |
|                                                                                     | 9436502*           | 9436502* | Flush Hinge, Square Edge, 5"x3"x2.5, Loading capacity 40 Kg, BL Finish (With Screws)                      | 1    | Pair | 1  | 1,025 | 83021010 |
|                                                                                     | 9436503*           | 9436503* | Flush Hinge, Square Edge, 5"x3"x3, Loading capacity 40 Kg, BL Finish (Without Screws)                     | 1    | Pair | 1  | 1,350 | 83021010 |
|                                                                                     | 9436504*           | 9436504* | Flush Hinge, Square Edge, 5"x3"x3, Loading capacity 40 Kg, BL Finish (With Screws)                        | 1    | Pair | 1  | 1,425 | 83021010 |
|  | Spring Hinge       |          |                                                                                                           |      |      |    |       |          |
|                                                                                     | 9228242*           | 9228242* | HBN-18-102/102-SPR: Spring Hinge, 4"x4"x3, SS 304, loading capacity 40kg/pair                             | 1    | Pair | 1  | 2,646 | 83021090 |
|  | Concealed Hinge    |          |                                                                                                           |      |      |    |       |          |
|                                                                                     | 9228248*           | 9228248* | HBC-25-1835/117, Concealed Hinge, Min door thickness- 29 mm, Loading Capacity : 30 kg/pair, Finish Silver | 1    | Set  | 1  | 5,925 | 83021090 |
|  | 2D Concealed Hinge |          |                                                                                                           |      |      |    |       |          |
|                                                                                     | 9250982*           | 9250982* | HBC-32 : 2D Concealed Hinge, Min. Door Thickness : 40 mm, Loading Capacity: 80 kg, Finish Silver          | 1    | Set  | 1  | 5,487 | 83021000 |
|                                                                                     | 9250983*           | 9250983* | HBC-35 : 2D Concealed Hinge, Min. Door Thickness : 45 mm, Loading Capacity: 120 kg, Finish Silver         | 1    | Set  | 1  | 9,535 | 83021000 |
|                                                                                     | 9250985*           | 9250985* | HBC-35 : 2D Concealed Hinge, Min. Door Thickness : 45 mm, Loading Capacity : 120 Kg, Finish Black         | 1    | Set  | 1  | 9,535 | 83021000 |

Note: Please refer Architectural Hardware Exclusive Price List for all available solutions. | \*Available till stock last

| Product                                                                           | Article No. | SAP      | Item Description                                                                                                | Qty. | Unit | PU | MRP    | HS Code  |
|-----------------------------------------------------------------------------------|-------------|----------|-----------------------------------------------------------------------------------------------------------------|------|------|----|--------|----------|
| 3D Concealed Hinges (Hinge Material, Base: Zinc Alloy; Connector: Aluminum Alloy) |             |          |                                                                                                                 |      |      |    |        |          |
|  | 9228474*    | 9228474* | HBC-25-1440/150Z-3D: 3D-Concealed Hinge, Min Door Thickness: 35 mm Loading Capacity: 40 kg/pair, Finish Silver  | 1    | Pair | 1  | 5,582  | 83021090 |
|                                                                                   | 9228475*    | 9228475* | HBC-28-1640/177Z-3D: 3D-Concealed Hinge, Min Door Thickness: 40 mm Loading Capacity: 80 kg/pair, Finish Silver  | 1    | Pair | 1  | 7,342  | 83021090 |
|                                                                                   | 9228476*    | 9228476* | HBC-34-1845/246Z-3D: 3D-Concealed Hinge, Min Door Thickness: 45 mm Loading Capacity: 120 kg/pair, Finish Silver | 1    | Pair | 1  | 12,132 | 83021090 |
|                                                                                   | 9251126*    | 9251126* | HBC-25-1440/150Z-3D : 3D-Concealed Hinge, Min Door Thickness: 35 mm, Loading Capacity: 40 kg, Finish Matt Black | 1    | Pair | 1  | 6,105  | 83021000 |
|                                                                                   | 9251127*    | 9251127* | HBC-28-1640/177Z-3D: 3D-Concealed Hinge, Min Door Thickness: 40 mm, Loading Capacity: 80 kg, Finish Matt Black  | 1    | Pair | 1  | 7,342  | 83021090 |
|                                                                                   | 9251128*    | 9251128* | HBC-34-1845/246Z-3D: 3D-Concealed Hinge, Min Door Thickness: 45 mm, Loading Capacity: 120 kg, Finish Matt Black | 1    | Pair | 1  | 13,274 | 83021090 |



Note: Please refer Architectural Hardware Exclusive Price List for all available solutions. | \*Available till stock last

Door Hinges

► DuraTough – Railway Brass Hinges



| Article No. | SAP     | Item Description                      | Qty. | Unit | PU | MRP   |
|-------------|---------|---------------------------------------|------|------|----|-------|
| 9251918     | 9251918 | BrassHinge,Sqr,125x28x4, AB (W Scr)   | 1    | Pair | 1  | 2,752 |
| 9251919     | 9251919 | BrassHinge,Sqr,125x28x4, AN (W Scr)   | 1    | Pair | 1  | 2,752 |
| 9251920     | 9251920 | BrassHinge,Sqr,125x28x4, MB (W Scr)   | 1    | Pair | 1  | 2,833 |
| 9251921     | 9251921 | BrassHinge,Sqr,125x28x4, NM (W Scr)   | 1    | Pair | 1  | 2,752 |
| 9251922     | 9251922 | BrassHinge,Sqr,125x28x4, RG (W Scr)   | 1    | Pair | 1  | 3,648 |
| 9251923     | 9251923 | BrassHinge,Sqr,125x31x4, AB (W Scr)   | 1    | Pair | 1  | 2,982 |
| 9251924     | 9251924 | BrassHinge,Sqr,125x31x4, AN (W Scr)   | 1    | Pair | 1  | 2,982 |
| 9251925     | 9251925 | BrassHinge,Sqr,125x31x4, MB (W Scr)   | 1    | Pair | 1  | 3,069 |
| 9251926     | 9251926 | BrassHinge,Sqr,125x31x4, NM (W Scr)   | 1    | Pair | 1  | 2,982 |
| 9251927     | 9251927 | BrassHinge,Sqr,125x31x4, RG (W Scr)   | 1    | Pair | 1  | 3,877 |
| 9251928     | 9251928 | BrassHinge,Sqr,125x31x4.5, AB (W Scr) | 1    | Pair | 1  | 3,743 |
| 9251929     | 9251929 | BrassHinge,Sqr,125x31x4.5, AN (W Scr) | 1    | Pair | 1  | 3,743 |
| 9251930     | 9251930 | BrassHinge,Sqr,125x31x4.5, MB (W Scr) | 1    | Pair | 1  | 3,853 |
| 9251931     | 9251931 | BrassHinge,Sqr,125x31x4.5, NM (W Scr) | 1    | Pair | 1  | 3,743 |
| 9251932     | 9251932 | BrassHinge,Sqr,125x31x4.5, RG (W Scr) | 1    | Pair | 1  | 4,638 |
| 9251933     | 9251933 | BrassHinge,Sqr,125x38x4.5, AB (W Scr) | 1    | Pair | 1  | 4,477 |
| 9251934     | 9251934 | BrassHinge,Sqr,125x38x4.5, AN (W Scr) | 1    | Pair | 1  | 4,477 |
| 9251935     | 9251935 | BrassHinge,Sqr,125x38x4.5, MB (W Scr) | 1    | Pair | 1  | 4,608 |
| 9251936     | 9251936 | BrassHinge,Sqr,125x38x4.5, NM (W Scr) | 1    | Pair | 1  | 4,477 |
| 9251937     | 9251937 | BrassHinge,Sqr,125x38x4.5, RG (W Scr) | 1    | Pair | 1  | 5,820 |
| 9251938     | 9251938 | BrassHinge,Sqr,150x31x4, AB (W Scr)   | 1    | Pair | 1  | 3,579 |
| 9251939     | 9251939 | BrassHinge,Sqr,150x31x4, AN (W Scr)   | 1    | Pair | 1  | 3,579 |
| 9251940     | 9251940 | BrassHinge,Sqr,150x31x4, MB (W Scr)   | 1    | Pair | 1  | 3,683 |
| 9251941     | 9251941 | BrassHinge,Sqr,150x31x4, NM (W Scr)   | 1    | Pair | 1  | 3,579 |
| 9251942     | 9251942 | BrassHinge,Sqr,150x31x4, RG (W Scr)   | 1    | Pair | 1  | 4,474 |
| 9251943     | 9251943 | BrassHinge,Sqr,150x31x4.5, AB (W Scr) | 1    | Pair | 1  | 4,496 |
| 9251944     | 9251944 | BrassHinge,Sqr,150x31x4.5, AN (W Scr) | 1    | Pair | 1  | 4,496 |
| 9251945     | 9251945 | BrassHinge,Sqr,150x31x4.5, MB (W Scr) | 1    | Pair | 1  | 4,628 |
| 9251946     | 9251946 | BrassHinge,Sqr,150x31x4.5, NM (W Scr) | 1    | Pair | 1  | 4,496 |
| 9251947     | 9251947 | BrassHinge,Sqr,150x31x4.5, RG (W Scr) | 1    | Pair | 1  | 5,570 |
| 9251948     | 9251948 | BrassHinge,Sqr,150x38x4.5, AB (W Scr) | 1    | Pair | 1  | 5,367 |
| 9251949     | 9251949 | BrassHinge,Sqr,150x38x4.5, AN (W Scr) | 1    | Pair | 1  | 5,367 |
| 9251950     | 9251950 | BrassHinge,Sqr,150x38x4.5, MB (W Scr) | 1    | Pair | 1  | 5,525 |
| 9251951     | 9251951 | BrassHinge,Sqr,150x38x4.5, NM (W Scr) | 1    | Pair | 1  | 5,367 |
| 9251952     | 9251952 | BrassHinge,Sqr,150x38x4.5, RG (W Scr) | 1    | Pair | 1  | 6,978 |
| 9251953     | 9251953 | BrassHinge,Sqr,200x38x4.5, AB (W Scr) | 1    | Pair | 1  | 7,261 |
| 9251954     | 9251954 | BrassHinge,Sqr,200x38x4.5, AN (W Scr) | 1    | Pair | 1  | 7,261 |
| 9251955     | 9251955 | BrassHinge,Sqr,200x38x4.5, MB (W Scr) | 1    | Pair | 1  | 7,471 |
| 9251956     | 9251956 | BrassHinge,Sqr,200x38x4.5, NM (W Scr) | 1    | Pair | 1  | 7,261 |
| 9251957     | 9251957 | BrassHinge,Sqr,200x38x4.5, RG (W Scr) | 1    | Pair | 1  | 9,409 |

Note: Please refer Architectural Hardware Exclusive Price List for all available solutions. | \*Available till stock last